Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	85051	(evolv\$4 chang\$3 roll\$3) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:19
L2	10694	(new\$2 old\$2) near3 key\$1	USPAT; IBM_TDB	OR .	OFF	2007/09/18 09:38
L3	169725	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near3 (record\$3 log\$3)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:19
L4	1551	I1 and I2 and I3	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:39
L5	1419	I4 and (compar\$4 match\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:33
L6	13390	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near6 (corrupt\$4 uncorrupt\$5 hack\$4 malicious\$2 attack\$4)	USPAT; IBM_TDB	OR .	OFF	2007/09/18 09:40
L7	323	15 and 16	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:40
L9	72961	(new\$2 old\$2 previous\$2) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR .	OFF	2007/09/18 09:41
L10	18234	(eras\$4 delet\$4 trash\$4) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:18
L11	323	17 and 19	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:42
L12	165	I10 and I11	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:42
L13	47	l12 and administrat\$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:54
L14	17964	((713/1-2) or (713/153) or (713/154) or (713/168) or (713/171) or (713/179) or (713/182-184) or (713/187-189) or (713/194) or (726/2-4) or (726/17-18) or (726/21-27) or (726/30) or (726/34) or (709/223-225) or (380/1) or (380/201) or (380/228-229) or	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:53
·		(380/239) or (380/255) or (380/259) or (380/37) or (380/42) or (380/277) or (380/282-286) or (380/28-30)). CCLS.		·	·	

10/8/11/17

L15	3559	l14 and l1	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:53
L16	773	l15 and l6	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:54
L17	175	l16 and l10	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:54
L18	76	I17 and administrat\$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:34
L19	51	I18 and I3	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:08
L20	1581	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near7 (record\$3 log\$3) near7 (evolv\$4 chang\$3 roll\$3 modif\$9 administrat\$4) near5 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9 key\$1 secret\$1 state action\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:11
L21	114	I20 and I10	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:32
L22	91	I21 and I1	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:32
L23	81	I22 and record\$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:33
L24	71	I23 and (compar\$4 match\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:41
L25	36	I24 and administrat\$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:34
·L26	5	125 and 16	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:34
L27	79	I22 and (compar\$4 match\$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:41
L28	9	I27 and hash\$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:42
L29	2	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near7 (record\$3 log\$3) near7 (chang\$3 roll\$3 modif\$9) near5 administ\$9 near5 (state action\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:15
L30	834	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near7 (record\$3 log\$3) near7 (chang\$3 roll\$3 modif\$9) near5 (state action\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:14

			•			
L31	6	(system\$1 network\$3 station\$1 workstation\$1 computer\$1) near7 (record\$3 log\$3) near7 (chang\$3 roll\$3 modif\$9) near5 (state administ\$9) near5 action\$1	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:15
L32	9	(record\$3 log\$3) near7 (chang\$3 roll\$3 modif\$9) near5 administ\$9 near5 (state action\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:16
L33	6	I32 and ((eras\$4 delet\$4 trash\$4) and (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR .	OFF	2007/09/18 11:18
L34	3	l33 and ((evolv\$4 chang\$3 roll\$3 new\$2 old\$2 previous\$2) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 encod\$4 mac key\$1 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:21
L35	3	l33 and ((evolv\$4 chang\$3 roll\$3 new\$2 old\$2 previous\$2) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 key encod\$4 mac key\$1 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:22
L36	3	l33 and ((evolv\$4 chang\$3 roll\$3 new\$2 old\$2 previous\$2 modif\$9) near4 (secret\$1 code\$1 pin password\$1 encrypt\$7 key encod\$4 mac key\$1 encipher\$9 cipher\$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L38	. 34	I13 and hash\$3	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:39
L39	428	(compar\$7 verif\$9 match\$4) near8 (log\$1 record\$1 histor\$3) near8 (administrat\$4 manager\$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:40
L40	134	l39 and l1	USPAT; IBM_TDB	OR ·	OFF .	2007/09/18 11:40
L41	43	I40 and hash\$5	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:40
L42	15	l41 and l10	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:41